



MAD B2 B2-210 / B2-212

**MADE TO PLAY LOUD** 

#### **WE PLAY LOUD!!**

We know what you want. You want it LOUD, and that is exactly what we do, what we live for. Vibrations, gut-punches and straight up loud music - that's what makes us tick. We won't dress up in fancy words or claim to be something we're not. We are the NO BULLSH!T car audio brand!

Every single product with the GAS logo on it is born out of passion, the same that has driven us for two generations and that will keep us rolling up to your neighbourhood, winning and pushing the limits for many generations to come!

It's up to you to choose your own level of loud, and if you don't like what we do that's OK. You are welcome back when you've had your first true GAS experience. We don't exclude, we don't judge and we do not make up any excuses for who we are.

We are GAS and we are proud to be LOUD!



## **TABLE OF CONTENT**

(1)	SAFETY	3
( <u>1</u> )	UNPACKING	4
( <u>i</u> )	DIMENSIONS	4
	SPECIFICATIONSMAD B2-210MAD B2-212	5
	FEATURES  Loaded with two MAD S2 subwoofers  Triangle X-bracing  Optimized slotport design  Engineered high strength terminal cup	6 6 6
( <u>i</u> )	HOW TOInstall pre-loaded enclosure	7 7
( <u>i</u> )	TROUBLESHOOTING	9
	WARRANTY & DISPOSAL	10
( <u>:</u> )	THE GAS WORLD	11

#### **SAFETY**

PLAY LOUD & SAFE. Read through this information, follow the instructions and save the manual for future usage and reference.

Make sure to pay attention to the instructions when you see this symbol:



Do not expose your new loaded enclosure to excessive damp or moisture. If the enclosure/subwoofer is exposed it might result in electric failure, shock or damage to the product. Servicing is required when the product has been damaged in any way and/or doesn't operate normally. Refer all servicing to qualified service personnel only.

Keep the cables inside the vehicle separate from sharp edges or components that may be affected or take damage. Follow the recommended cable sizes and always use high quality cables and accessories. Even if you're eager to put the enclosure to use take no shortcuts when installing the cables, make sure that all connectors are protected and secured.

Do not drill any holes without checking what lies beneath, and don't cut anything without making sure that no important components risk being damaged.

To avoid potential injury from enclosure movements, the pre-loaded enclosure must be securely fastened in the vehicle on a suitable location.

There is a first time for everything, if you need help - ask a friend or contact your local GAS AUDIO POWER dealer/installer.

We want you to experience your product's MAD sound, but we don't want you to injure yourself or others. Use common sense, respect high pressure levels and volume, and follow your local laws and regulations.

## **UNPACKING**

Unboxing your new MAD product is an experience, make sure that the enclosure and all the accessories are included in the packaging:












Loaded enclosure

Manual

Wrench

Brackets (2pcs)

**DIMENSIONS** 



	Α	В	С	D	Е	
B2-210	760	310	320	250	330	mm
B2-212	850	350	355	290	360	mm

## **SPECIFICATIONS**

Below you'll find the specifications that has been checked and tested in our workshop. The specifications aren't directly connected with the sound pressure in the vehicle, and shouldn't be used as the sole indicator for comparison with other enclosures. The MAD B2 enclosures are loaded with MAD S2 subwoofers (see product specifications below).

MAD B2-210	
Component	Pre-loaded Enclosure
Size	2x10" (250mm)
Nominal Impedance	2/2x4/80hm
Power RMS	600W
Power MAX	1200W
Volume	49.6 L
Weight	18.8 KG
<b>MAD</b> S2-104	
Component	Subwoofer
Size	10" (250mm)
Nominal Impedance	4 0hm
Power RMS	300W
Power MAX	600W
Freq. response	25-200Hz
Voice Coil	2" (51mm) PCW
Cone	IMPP
Dustcap	3D IMPP
Basket	M Steel
Magnet	HQ Ferrite
Suspension	USG™ Rubber

MAD B2-212	
Component	Pre-loaded Enclosure
Size	2x12" (300mm)
Nominal Impedance	2 /2x4 / 8 0hm
Power RMS	700W
Power MAX	1400W
Volume	73.4 L
Weight	23 KG
MAD S2-124	
Component	Subwoofer
Size	12" (300mm)
Nominal Impedance	4 0hm
Power RMS	350W
	00011
Power MAX	700W
Power MAX Freq. response	
	700W
Freq. response	700W 20-200Hz
Freq. response Voice Coil	700W 20-200Hz 2" (51mm) PCW
Freq. response  Voice Coil  Cone	700W 20-200Hz 2" (51mm) PCW IMPP
Freq. response  Voice Coil  Cone  Dustcap	700W 20-200Hz 2" (51mm) PCW IMPP 3D IMPP

#### **FEATURES**

The MAD enclosures are designed to be LOUD and last for years to come. Those awesome vibrations are what drives us to create impressive enclosures loaded with our subwoofers. We want to help you to be as LOUD as possible. We've made sure that's the case by using innovative and groundbreaking techniques that increase both durability and performance.

#### LOADED WITH TWO MAD S2 SUBWOOFERS

MAD 2 enclosures are pre-loaded with the awesome MAD S2 subwoofer to offer you a whole new level of LOUD! With a durable IMPP (Injection Molded Polypropylene) cone, a Unity Surround & Gasket construction (USG $^{\text{TM}}$ ) and a Dual Ventilation System (DVS $^{\text{TM}}$ ) you get a subwoofer beast that will impress your friends and terrify your neighbors.

#### TRIANGLE X-BRACING

Your LOUD lifestyle shouldn't have to be let down by lousy construction! The MAD 2 enclosures are all equipped with several Triangle X-bracings to give you a more rigid enclosure that can withstand the toughest bass challenges. This strong and durable enclosure resists heavy vibrations and resonances so you can wreak bass havoc!

#### **OPTIMIZED SLOTPORT DESIGN**

Even if LOUD is one of our core beliefs, it's also important that your sound expectations are met. We've used an optimized high output airflow slot port design in all MAD 2 enclosures to minimize distortion and give you a cleaner, more musical output. This feature makes sure that you can be as LOUD as you want, without sacrificing sound quality.

#### ENGINEERED HIGH STRENGTH TERMINAL CUP

The terminal cup on our MAD 2 enclosures are made with a seamless single molding, 5mm thick round housing and an upraised design to withstand enormous amounts of pressure! We've also upgraded the cup with heavy duty binding posts to help you secure your connections properly (wrench included). This clever design choice makes sure that there'll be no rattling from the terminals – even when you dwell to the deepest bass levels!

### **HOW TO**

#### **INSTALL PRE-LOADED ENCLOSURE**


Before installing your brand new pre-loaded enclosure, make sure that you have everything you need. Have the right tools ready, and make sure that you have the necessary knowled-qe/skill to perform the installation properly. Preparation and knowledge is crucial!

The MAD B2-210/B2-212 uses two 4 Ohm voice coils. Since the enclosure is pre-loaded with two MAD S2 subwoofer, the installation is very simple. Just connect it with your amplifier and get ready for an awesome bass experience! Use the included wrench to secure your terminal connections properly.

With the MAD B2 enclosures terminal, you get the options to vary the impedance by altering the wiring between series or parallel configurations. Make sure to look through the wiring schematics on the next page and choose the setup that corresponds with your sound system. Take note of the impedance stability of your amplifier. Don't be afraid to consult your local GAS AUDIO POWER dealer/installer if you have any questions.



Make sure that the enclosure doesn't move around while driving, use the included mounting brackets and screws to securely fasten it in position.




## **HOW TO**



**ENCLOSURE TERMINAL** 

- Includes pre-mounted bridging plates -




- Parallel/standard connection with plates -



2x4 OHM

- Stereo/direct connection -



- Serial connection -



When you use the stereo or serial configurations on the enclosure, remember to first remove the pre-mounted bridging plates from the terminal.

### **TROUBLESHOOTING**

#### NO POWER/SOUND

Check the enclosure/subwoofer to make sure it isn't damaged. If your pre-loaded enclosure doesn't get any power, the most common issue is either in the wiring or in the amplifier. Use a multimeter to measure the amplifier's voltage on the +12V terminal and the remote signal terminal. Make sure that you have a negative ground connection. Check the built-in fuse (if there is one) on the amplifier. If there's no power coming through – control the fuse on the power cable. If the fuse is intact you should check all of the wiring to ensure cable integrity.

#### DISTORTION

Start by looking over the enclosure/subwoofer so there's no damage or connection issue with the wiring. Check the speaker cables to make sure that the polarity isn't reversed on one channel. Check the settings on the amplifier, make sure that the gain/level function is set according to the amplifier's instructions. If your amplifier has a boost function, lower its effect or turn it off.

When all of the above has been tested/looked over, and all is as it should be but the preloaded enclosure still has no power/sound or other problems, consult your local GAS AUDIO POWER dealer/installer

## **WARRANTY & DISPOSAL**

This product is covered by warranty, depending on the conditions in the country where it's sold. If the subwoofer is returned for service, please include the original dated receipt (or a copy) with the product. Make sure that the subwoofer is packaged properly and secured, preferably in its original packaging.



The crossed-out wheelie bin symbol means that the product, literature and packaging included must be taken to separate collection at the end of their working life. Don't dispose of these products as unsorted municipal waste: take them for recycling. For info on your nearest recycling point, check with your local waste authority.



This product has been granted with the CE certification mark to show that the product follows the health, safety, and environmental protection standards for products sold within the European Economic Area (EEA).



GAS Audio Power products comply with the relevant provisions of the RoHS Directive for the European Union. In common with all Electrical and Electronic Equipment (EEE) the product shouldn't be disposed of as household waste. Alternative arrangements may apply in other jurisdictions.



GAS Audio Power is a global partner of the European Mobile Media Association, an organization that focus on promoting the custom made mobile media installations to consumers.

#### THE GAS WORLD

You've entered the world of GAS. We aim to please, and we've made sure to have products made for you. No matter what stage of the LOUD-addiction you might find yourself in, there is a GAS product to fill your need.

## MAD

Just starting out? The MAD series is made to play LOUD and to be the express lane to a no bullsh!t sound system that will make sure everyone can hear you coming!


# MAX

The MAX series holds products made to deserve the center stage. Powerful, heavy duty and designed to be noticed. We made NO COMPROMISES because we know that you wouldn't accept it.

# **CMP**

The CMP series has been developed for the crucial seconds when the dB-counter starts to tick. All CMP products have hand-picked, high quality, COMPETITION GRADE components and they are specially designed to withstand an awesome amount of power.

## THANKS FOR JOINING GAS AUDIO POWER!





GAS AUDIO POWER and SHAKY are registered trademarks by Winn Scandinavia AB and is protected by relevant laws and jurisdictions such as Copyright and Trademark laws.

Winn Scandinavia AB | Elementvägen 15, 70227 Örebro, Sweden | www.winnscandinavia.com

Winn Scandinavia AB reserves for possible typos, factual or numeric errors that may have been printed on any products, package designs, user manuals and/or other included accessories.





